



Inspection Report

Report No: 60172	Manufacturer: Bounce Now	
Tag No: 43045	Size: 4.9m x 3.3m x 3.2m	
Date: 21 Mar 2019	Type: Slide	
	Serial Number: 43045	

Automated Test Sheet

Anchorage		Detail	Totally Enclosed Details		Detail	Additional Details		Detail	
Anchor Points	Pass		Exits	N/A		Anchor Type	PVC metal Triangle		
Anchor Accessories	Pass		Exit Markings	N/A		Number of Anchors	10		
Structure			Independent Support	N/A		Open Side Fall-off Height	0.5M		
Seam Security	Pass		Emergency Lighting	N/A		Inside Wall Height	0.67M		
Stitching	Pass		Deflation of the User Area	N/A		Play Area			
Blower Tube	Pass		Slides			Max User Height	Max No. Users		
Walls & Towers	Pass		Height of Walls	Pass	0.67	1.0 metre	4		
Step/Ramp Size	Pass		Run Out	Pass	H1.9 RO1.4	1.2 metre	4		
Grounding	Pass		Clamber Net	N/A		1.5 metre	0		
Sharp Angles	Pass		Slide Sheet	Pass		1.8 metre	0		
Pressure	Pass	4.75"	Blower						
Fall Off Height	Pass		Suitability	Pass		Place of Test	ABC Margate		
Trough Depth	Pass		Inlet and Outlet Mesh	N/A		Notes:			
Entrapment	Pass		Cable and Plug	N/A					
Stability	Pass		Impeller	N/A					
Deflation/Evacuation	Pass		Return Flap	N/A					
Air Loss	Pass		PAT Test	N/A					
Markings	Pass		Blower Type	Gibbons Metal					
Identification	Pass		Blower Size	1.5HP					
Materials			Risk Assessment Notes:						
Fabric (Fire)	N/A								
Fabric Strength	N/A								
Zips	Pass								
Thread	Pass								
Ropes	N/A								
Netting	Pass								
Windows	Pass								
Artwork	Pass								

Initial Test

I certify that the inflatable play equipment identified by means of the PIPA tag attached to the unit (number as above) was tested in accordance with the European Standard BS EN 14960:2013 and

PASSED

If you suspect that this report is not genuine or has been altered, you can check the equipment's test status by visiting www.pipa.org.uk and entering the tag number shown above. Please report any irregularities using the contact details below.

 www.inflatablePIPAtesting.co.uk	Report Expiry Date: 20 Mar 2020
	Inspection Body: Inflatable PIPA Testing
	Print Name: David Tofton
	Signature: <i>DTofton</i>