

ABCastlehire Risk Assessment – Petrol Blowers/Generators

Hazard Area	Risk	Existing Controls	Likelihood 1 - 5	Severity 1 - 5	Risk Score L x S	Further Action to take
Blowers/Generators	Burns from hot engine	Guards of engine in place	4	2	8	Safety fencing erected around petrol blower/generator. Adult supervision required at all times
Blowers/Generators	Danger of fire	Petrol blower/generator to be switched off for refuelling	4	1	4	Fire extinguisher to hand at all times. Adult supervision required at all times
Blowers/Generators	Flammable liquid	Only to be stored in suitable container.	4	1	4	Lock fuel away in vehicle unless refuelling. Adult supervision required at all times

L=Likelihood S=Severity L*S= Risk 1=Low 5=High

Risk is worked out using numbers 1 - 5. The likelihood is given a number and this is multiplied by the number given to the severity of the risk.

The result = the risk factor. This generic risk assessment is brief and we have our own individual assessments for each individual risk, 25 being the worst possible outcome, any item reaching 25 would give serious cause for concern & we would not be able to erect the unit. It is recommended that clients undertake their own risk assessment to suit their requirements. This is a generic risk assessment that only applies in normal conditions. Should there be any unexpected influencing factors, this risk assessment must be amended to suit. The provision of this risk assessment is intended as a guide only and cannot be used as a substitute for your own risk assessments being carried out.