



Inspection Report

Report No: 60165	Manufacturer: Bounce Now	
Tag No: 43065	Size: 7.75m x 3.3m x 3m	
Date: 22 Mar 2019	Type: Assault Course	
	Serial Number: 5220	

Automated Test Sheet

Anchorage		Detail	Totally Enclosed Details		Detail	Additional Details		Detail
Anchor Points	Pass		Exits	N/A		Anchor Type		PVC metal Triangle
Anchor Accessories	Pass		Exit Markings	N/A		Number of Anchors		10
Structure			Independent Support	N/A		Open Side Fall-off Height		0.49M
Seam Security	Pass		Emergency Lighting	N/A		Inside Wall Height		0.5M
Stitching	Pass		Deflation of the User Area	N/A		Play Area		
Blower Tube	Pass		Slides			Max User Height		Max No. Users
Walls & Towers	Pass		Height of Walls	Pass	0.5	1.0 metre		6
Step/Ramp Size	Pass	H80 L95	Run Out	Pass	H1.8 L1.4	1.2 metre		6
Grounding	Pass		Clamber Net	N/A		1.5 metre		0
Sharp Angles	Pass		Slide Sheet	Pass		1.8 metre		0
Pressure	Pass		Blower					
Fall Off Height	Pass	0.49	Suitability	Pass		Place of Test		ABC Margate
Trough Depth	Pass		Inlet and Outlet Mesh	N/A		Notes:		
Entrapment	Pass		Cable and Plug	N/A				
Stability	Pass		Impeller	N/A				
Deflation/Evacuation	Pass		Return Flap	N/A				
Air Loss	Pass		PAT Test	N/A				
Markings	Pass		Blower Type		Gibbons Metal			
Identification	Pass		Blower Size		1.5HP			
Materials			Risk Assessment Notes:					
Fabric (Fire)	N/A	Manufacturer						
Fabric Strength	N/A	Manufacturer						
Zips	Pass							
Thread	Pass							
Ropes	N/A							
Netting	Pass							
Windows	N/A							
Artwork	Pass							

Initial Test

I certify that the inflatable play equipment identified by means of the PIPA tag attached to the unit (number as above) was tested in accordance with the European Standard BS EN 14960:2013 and

PASSED

If you suspect that this report is not genuine or has been altered, you can check the equipment's test status by visiting www.pipa.org.uk and entering the tag number shown above. Please report any irregularities using the contact details below.

 www.inflatablePIPAtesting.co.uk	Report Expiry Date: 21 Mar 2020
	Inspection Body: Inflatable PIPA Testing
	Print Name: David Tofton
	Signature: <i>DTofton</i>