




Inspection Report

Report No: 73679	Manufacturer: Castle Capers	
Tag No: 43067	Size: 5.2m x 4.7m x 2m	
Date: 03 Jun 2020	Type: Playzone	
	Serial Number: 43067	

Automated Test Sheet


Anchorage		Detail	Totally Enclosed Details		Detail	Additional Details		Detail
Anchor Points	Pass		Exits	N/A		Anchor Type	Webbing metal rin	
Anchor Accessories	Pass	'D' Ring	Exit Markings	N/A		Number of Anchors	8	
Structure			Independent Support	N/A		Open Side Fall-off Height	0.4M	
Seam Security	Pass		Emergency Lighting	N/A		Inside Wall Height	1.5M	
Stitching	Pass		Deflation of the User Area	N/A		Play Area	1.5 x 2.1	
Blower Tube	Pass	1.2M	Slides			Max User Height	Max No. Users	
Walls & Towers	Pass		Height of Walls	N/A		1.0 metre	10	
Step/Ramp Size	N/A		Run Out	N/A		1.2 metre	0	
Grounding	Pass		Clamber Net	N/A		1.5 metre	0	
Sharp Angles	Pass		Slide Sheet	N/A		1.8 metre	0	
Pressure	Pass	5.86"WG	Blower					
Fall Off Height	Pass		Suitability	Pass		Place of Test	ABC Margate	
Trough Depth	Pass		Inlet and Outlet Mesh	Pass		Notes:		
Entrapment	Pass		Cable and Plug	Pass				
Stability	Pass		Impeller	Pass				
Deflation/Evacuation	Pass		Return Flap	Pass				
Air Loss	Pass		PAT Test	N/A				
Markings	Pass		Blower Type	Huawai				
Identification	Pass		Blower Size	1.5HP				
Materials			Risk Assessment Notes:					
Fabric (Fire)	Pass	Manufacturer						
Fabric Strength	Pass	Manufacturer						
Zips	Pass							
Thread	Pass							
Ropes	N/A							
Netting	Pass							
Windows	N/A							
Artwork	Pass							

Annual Test

I certify that the inflatable play equipment identified by means of the PIPA tag attached to the unit (number as above) was tested in accordance with the European Standard BS EN 14960 and

PASSED

If you suspect that this report is not genuine or has been altered, you can check the equipment's test status by visiting www.pipa.org.uk and entering the tag number shown above. Please report any irregularities using the contact details below.

 www.inflatablePIPAtesting.co.uk	Report Expiry Date: 02 Jun 2021
	Inspection Body: Inflatable PIPA Testing
	Print Name: David Tofton
	Signature: <i>DTofton</i>

See continuation sheet notes here: pipa.org.uk/notes